




**Fig. 1**



**Fig. 2**



**Fig. 3a**



**Fig. 3b**

**Bootptab Table:**

<b>Mobile Terminal Hardware Address</b>	<b>Internet Protocol (IP) Address</b>	<b>Boot File (Package Name)</b>
<b>Mobile Terminal 1</b>	<b>IP1</b>	<b>Package A</b>
<b>Mobile Terminal 2</b>	<b>IP2</b>	<b>Package B</b>
<b>Mobile Terminal 3</b>	<b>IP3</b>	<b>Package C</b>
<b>...</b>	<b>...</b>	<b>...</b>
<b>Mobile Terminal X</b>	<b>lpx</b>	<b>Package X</b>

**Fig. 4**

Package Definition Files:

**Fig. 5a**

Package Name	Version ID, Req. Memory, Mode	File Name	Mobile Ter. Path	FTP Path	Type	ROM/RAM
--------------	-------------------------------	-----------	------------------	----------	------	---------

**Fig. 5b**

Package A	6.2, 200KB, replace	filename_A1	mpath A1	ftppath A1	...	ROM
		filename_A2	mpath A2	ftppath A2	...	RAM
		.	.	.	...	.
		filename_An	mpath An	ftppath An	...	ROM


**Fig. 5c**

Package B	A3, 150KB, fail safe	filename_B1	mpath B1	ftppath B1	...	RAM
		filename_B2	mpath B2	ftppath B2	...	RAM
		.	.	.	...	.
		filename_Bn	mpath Bn	ftppath Bn	...	ROM


... ..

**Fig. 5d**


Package Z	1.9, 320KB, replace	filename_Z1	mpath Z1	ftppath Z1	...	ROM
		filename_Z2	mpath Z2	ftppath Z2	...	ROM
		.	.	.	...	.
		filename_Zn	mpath Zn	ftppath Zn	...	RAM




**Fig. 6**




**Fig. 7(a)**




**Fig. 7(b)**




**Fig. 7(c)**





**Fig. 7(d)**





**Fig. 7(e)**








⋮







**Fig. 8(a)**

CONTINUED ON FIG.  
8(b)

CONTINUED ON FIG. 8(a)



**Fig. 8(b)**



**Fig. 9**






Fig. 10



**Fig. 11**



**Fig. 12**

Package Definition Files:

Fig. 13a

Package Name	Version ID, Req. Memory, Mode	File Name	Mobile Ter. Path	Host Path	Type	ROM/RAM
--------------	-------------------------------	-----------	------------------	-----------	------	---------

Fig. 13b

Package A	6.2, 200KB, replace	filename_A1	mpath A1	hpath A1	...	ROM
		filename_A2	mpath A2	hpath A2	...	RAM
		.	.	.	...	.
		.	.	.	...	.
		filename_An	mpath An	hpath An	...	ROM

Fig. 13c

Package B	A3, 150KB, fail safe	filename_B1	mpath B1	hpath B1	...	RAM
		filename_B2	mpath B2	hpath B2	...	RAM
		.	.	.	...	.
		.	.	.	...	.
		filename_Bn	mpath Bn	hpath Bn	...	ROM

... 1 ... ..


Fig. 13d

Package Z	1.9, 320KB, replace	filename_Z1	mpath Z1	hpath Z1	...	ROM
		filename_Z2	mpath Z2	hpath Z2	...	ROM
		.	.	.	...	.
		.	.	.	...	.
		filename_Zn	mpath Zn	hpath Zn	...	RAM







**Fig. 14(a)**




Bootp Request Packet




**Fig. 14(b)**




Bootp Response Packet




**Fig. 14(c)**




Package Request Packet





**Fig. 14(d)**






Package Definition Packet





⋮





**Fig.**  
**15(a)**

CONTINUED ON FIG. 15(a)





Fig. 15(b)



**Fig. 16**